

阻斷麻疹傳染風險 靠你我提高警覺



全球麻疹疫情延燒，臺灣也出現感染案例

由於麻疹初期症狀類似感冒，容易遭到忽視
一旦出現以下症狀，請您配戴口罩並儘速就醫



麻疹主要症狀


發燒



鼻炎



紅疹



結膜炎



咳嗽



Blocking the transmission risk of measles

Requires public vigilance



Measles is spreading around the world and there have been cases in Taiwan.


Because the initial symptoms of measles are similar to those of the common cold they are easily overlooked.

If you experience any of the following symptoms wear a facemask and seek immediate medical treatment



Key measles symptoms

Fever




Rhinitis



Rash



Conjunctivitis



Cough



Pencegahan Risiko Terinfeksi Campak



Bergantung pada kewaspadaan kita




Penyakit campak global menyebar luas, juga muncul kasus terinfeksi di Taiwan

Berhubung gejala awal campak serupa dengan gejala flu, sehingga gejalanya mudah terabaikan. Apabila timbul gejala-gejalan berikut ini, harap Anda memakai masker dan memeriksakan diri ke dokter secepat mungkin.

!

Gejala utama campak

Demam panas 	Ruam 	Konjungtivitis 	Batuk 
Rhinitis 			

Ngăn chặn nguy cơ lây nhiễm bệnh sởi



Nhờ vào sự cảnh giác
của chúng ta



Sởi đang lây lan trên toàn cầu,
ca nhiễm cũng đã xuất hiện tại Đài Loan

Vì các triệu chứng ban đầu của bệnh sởi tương
tự như cảm lạnh nên chúng dễ bị bỏ qua.

Khi xuất hiện các triệu chứng sau,
vui lòng đeo khẩu trang và đi khám càng sớm càng tốt




Các triệu chứng của bệnh sởi

Sốt



Phát ban đỏ



Viêm mũi



Viêm kết mạc



Ho



สกัดกันการแพร่ระบาดของโรคหัด

ทุกคนต้องร่วมกันเพิ่มความระมัดระวัง

การแพร่ระบาดของโรคหัดกำลังลุกลามทั่วโลก

ได้ทันทีเมื่อพบผู้ติดเชื้อเช่นกัน

เนื่องจากอาการในระยะแรกคล้ายกับโรคหวัด

ทำให้มักถูกละเลยได้โดยง่าย

หากพบอาการดังต่อไปนี้ กรุณาร่วมหน้ากากอนามัยและรีบไปพบแพทย์ทันที



อาการสำคัญของโรคหัด

มีไข้




จมูกอักเสบ



ผื่นแดง



ตาแดง



ไอ

